

Mini – Heki plus

Art. 1352

Content

Ordering Details

Technical Drawings

Spare Parts

Ordering Details Mini-Heki plus

Art. 1352

Ordering Size: Aperture 400 x 400 mm / 4 x radius 12 mm

Roof Thickness: mm* (25 to 60 mm)

Colours:	Frames	Pleated Blind Blackout	Flynet
<input type="radio"/>	RAL 9001 / cream	beige/alu	black, pleated
<input type="radio"/>	RAL 7035 / lightgrey*	grey/alu	black, pleated

Glazing Dome: Acrylic, grey tinted, double-glazed

Lighting:

- without ventilation
 - with ventilation IR appr. 70 cm²
-

Version:	Part.-No. Customer
<input type="radio"/> for manufacturers incl. assembly parts* (industrial packaging)
<input type="radio"/> for accessory roof thickness 25-42 mm (single packaging)
<input type="radio"/> for accessory roof thickness 43-60 mm (single packaging)


Customer: _____

Remarks: _____



Signature: _____ **Date:** _____

* = only for manufacturers

Technical Drawing Mini – Heki plus



Öffnungswinkel / opening angle = ca. 50°
Gewicht / weight approx = 3,3 kg




Spare Parts Mini-Heki plus

Standard colours	Code
RAL 7035 light grey *	09
RAL 9001 cream	25

	Description	Part No.	Pack. Unit
01	Glass complete (without seal, with hinge bolt)	BG 1423	1
	Glass complete (with seal and hinge bolt)	BG 1424	1
05	Seal	BG 1327	1
10	Bow with fixing parts	BG 1328	1
11	Safety parts for operating bar	BG 1726	1
15	Push button	BG 1329	1
20	Interior frame complete (with rollo)	BG 1804	1
25	Mounting frame cpl. for roof thickness 25-42 mm, RAL 7035	BG 14470901	1
	Mounting frame cpl. for roof thickness 43-60 mm, RAL 7035	BG 14470902	1
	Mounting frame cpl. for roof thickness 25-42 mm, RAL 9001	BG 14472501	1
	Mounting frame cpl. for roof thickness 43-60 mm, RAL 9001	BG 14472502	1
30	Spring clamp for interior frame	BG 1113	1 set

Important: When ordering specify - description, colour of frame, colour of fly net, quantity, roof thickness, type of ventilation (with or without free ventilation).



* = only for manufacturers