


Thule Omnistor 8000

Leaders in technology

Information

- Installation wall-mounted
- Awning's length 3.53m up to 6.03m
- Fabric projection 2.50m up to 2.75m
- Cassette colours White
Anodised
Cream RAL 9002 - from 4.00m - only with fabric 31 (Mystic Grey)
- Fabric colours 31 - Mystic grey
32 - Sapphire blue
03 - Blue sky
04 - Alaska grey
22 - Uni grey
- Weight 38kg up to 55.40kg



Specs

- Integrated tension arms for tighter fabric tension.
- Integrated channels for 12V cables for the installation of LED lights. for example.
- Front profile with drainage system.
- Flat adapter delivered as standard. Special adapters for wall mounting need to be ordered separately (see further on in this chapter).
- Spring arms
 - Re-enforced with a double steel cable.
 - The automatically deployed tension rafters absorb movement to ensure stability and wind resistance.
- 230 V motor with remote control:
 - Opening without any effort.
 - Digital settings ensure the perfect closing of the front profile.
 - Two safety devices to prevent the awning from opening while driving and to operate the awning manually in case of emergency.
- Unique Thule Double lock system prevents the awning from opening while the vehicle is moving. This locking system is working automatically when closing the awning.

Related products

- Thule Windscreen
- Thule Safari Panorama
- Thule Safari Residence
- Thule Rain & Sun Blocker side and front panels
- Thule Hold down Side strap kit
- Thule Sealing rubber
- Thule Tension rafters
- Motorkit 8000
- Thule LED strip



Product references Thule Omnistor 8000 Manual

PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION
308510	anodised	03 Blue Sky	3.50m	2.50m
308511	anodised	04 Alaska Grey	3.50m	2.50m
308516	anodised	22 Uni Grey	3.50m	2.50m
308730	anodised	31 Mystic Grey	3.50m	2.50m
308731	anodised	32 Sapphire Blue	3.50m	2.50m
308502	white	03 Blue Sky	3.50m	2.50m
308503	white	04 Alaska Grey	3.50m	2.50m
308508	white	22 Uni Grey	3.50m	2.50m
308726	white	31 Mystic Grey	3.50m	2.50m
308727	white	32 Sapphire Blue	3.50m	2.50m
307786	anodised	03 Blue Sky	4.00m	2.75m
307787	anodised	04 Alaska Grey	4.00m	2.75m
306487	anodised	22 Uni Grey	4.00m	2.75m
308683	anodised	31 Mystic Grey	4.00m	2.75m
308701	anodised	32 Sapphire Blue	4.00m	2.75m
307712	white	03 Blue Sky	4.00m	2.75m
307713	white	04 Alaska Grey	4.00m	2.75m
307717	white	22 Uni Grey	4.00m	2.75m
308728	white	31 Mystic Grey	4.00m	2.75m
308698	white	32 Sapphire Blue	4.00m	2.75m
308979	cream	31 Mystic Grey	4.00m	2.75m
307790	anodised	03 Blue Sky	4.50m	2.75m
307791	anodised	04 Alaska Grey	4.50m	2.75m
308708	anodised	31 Mystic Grey	4.50m	2.75m
308709	anodised	32 Sapphire Blue	4.50m	2.75m
307719	white	03 Blue Sky	4.50m	2.75m
307720	white	04 Alaska Grey	4.50m	2.75m
307725	white	22 Uni Grey	4.50m	2.75m
308679	white	31 Mystic Grey	4.50m	2.75m
308703	white	32 Sapphire Blue	4.50m	2.75m
308912	cream	31 Mystic Grey	4.50m	2.75m
307795	anodised	04 Alaska Grey	5.00m	2.75m
307794	anodised	03 Blue Sky	5.00m	2.75m
308710	anodised	31 Mystic Grey	5.00m	2.75m
308711	anodised	32 Sapphire Blue	5.00m	2.75m
307727	white	03 Blue Sky	5.00m	2.75m
307728	white	04 Alaska Grey	5.00m	2.75m
307733	white	22 Uni Grey	5.00m	2.75m
308704	white	31 Mystic Grey	5.00m	2.75m
308705	white	32 Sapphire Blue	5.00m	2.75m
308971	cream	31 Mystic Grey	5.00m	2.75m
307798	anodised	03 Blue Sky	5.50m	2.75m
307799	anodised	04 Alaska Grey	5.50m	2.75m
308712	anodised	31 Mystic Grey	5.50m	2.75m



PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION
308713	anodised	32 Sapphire Blue	5.50m	2.75m
307735	white	03 Blue Sky	5.50m	2.75m
307736	white	04 Alaska Grey	5.50m	2.75m
307741	white	22 Uni Grey	5.50m	2.75m
308706	white	31 Mystic Grey	5.50m	2.75m
308707	white	32 Sapphire Blue	5.50m	2.75m
308972	cream	31 Mystic Grey	5.50m	2.75m
307802	anodised	03 Blue Sky	6.00m	2.75m
307803	anodised	04 Alaska Grey	6.00m	2.75m
308714	anodised	31 Mystic Grey	6.00m	2.75m
308715	anodised	32 Sapphire Blue	6.00m	2.75m
307743	white	03 Blue Sky	6.00m	2.75m
307744	white	04 Alaska Grey	6.00m	2.75m
307749	white	22 Uni Grey	6.00m	2.75m
308729	white	31 Mystic Grey	6.00m	2.75m
308718	white	32 Sapphire Blue	6.00m	2.75m
308978	cream	31 Mystic Grey	6.00m	2.75m

Product references Thule Omnistor 8000 with 220V motor


PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION
308829	anodised	31 Mystic Grey	3.50m	2.50m
308884	anodised	32 Sapphire Blue	3.50m	2.50m
308518	white	03 Blue Sky	3.50m	2.50m
308519	white	04 Alaska Grey	3.50m	2.50m
308524	white	22 Uni Grey	3.50m	2.50m
307806	anodised	03 Blue Sky	4.00m	2.75m
307807	anodised	04 Alaska Grey	4.00m	2.75m
308796	anodised	31 Mystic Grey	4.00m	2.75m
308841	anodised	32 Sapphire Blue	4.00m	2.75m
307751	white	03 Blue Sky	4.00m	2.75m
307752	white	04 Alaska Grey	4.00m	2.75m
307756	white	22 Uni Grey	4.00m	2.75m
308738	white	31 Mystic Grey	4.00m	2.75m
308818	white	32 Sapphire Blue	4.00m	2.75m
308973	cream	31 Mystic Grey	4.00m	2.75m
307810	anodised	03 Blue Sky	4.50m	2.75m
307811	anodised	04 Alaska Grey	4.50m	2.75m
308801	anodised	31 Mystic Grey	4.50m	2.75m
308825	anodised	32 Sapphire Blue	4.50m	2.75m
307758	white	03 Blue Sky	4.50m	2.75m
307759	white	04 Alaska Grey	4.50m	2.75m
307763	white	22 Uni Grey	4.50m	2.75m
308914	white	32 Sapphire Blue	4.50m	2.75m
308974	cream	31 Mystic Grey	4.50m	2.75m



PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION
307814	anodised	03 Blue Sky	5.00m	2.75m
307815	anodised	04 Alaska Grey	5.00m	2.75m
308803	anodised	31 Mystic Grey	5.00m	2.75m
308951	anodised	32 Sapphire Blue	5.00m	2.75m
307765	white	03 Blue Sky	5.00m	2.75m
307766	white	04 Alaska Grey	5.00m	2.75m
307770	white	22 Uni Grey	5.00m	2.75m
308835	white	32 Sapphire Blue	5.00m	2.75m
308975	cream	31 Mystic Grey	5.00m	2.75m
307818	anodised	03 Blue Sky	5.50m	2.75m
307819	anodised	04 Alaska Grey	5.50m	2.75m
308739	anodised	31 Mystic Grey	5.50m	2.75m
308820	anodised	32 Sapphire Blue	5.50m	2.75m
307772	white	03 Blue Sky	5.50m	2.75m
307773	white	04 Alaska Grey	5.50m	2.75m
307777	white	22 Uni Grey	5.50m	2.75m
308836	white	32 Sapphire Blue	5.50m	2.75m
308976	cream	31 Mystic Grey	5.50m	2.75m
307822	anodised	03 Blue Sky	6.00m	2.75m
307823	anodised	04 Alaska Grey	6.00m	2.75m
308747	anodised	31 Mystic Grey	6.00m	2.75m
308746	anodised	32 Sapphire Blue	6.00m	2.75m
307779	white	03 Blue Sky	6.00m	2.75m
307780	white	04 Alaska Grey	6.00m	2.75m
307784	white	22 Uni Grey	6.00m	2.75m
308789	white	31 Mystic Grey	6.00m	2.75m
308837	white	32 Sapphire Blue	6.00m	2.75m
308977	cream	31 Mystic Grey	6.00m	2.75m



Spare parts Thule Omnistor 8000



THULE Omnistor 8000

SAP 606-00

	ART.NR.	DESCRIPTION
1	1500601797	ROLLER TUBE 70 / 8000 -3,50M
	1500601798	ROLLER TUBE 70 / 8000 -4,00M
	1500601799	ROLLER TUBE 70 / 8000 -4,50M
	1500601800	ROLLER TUBE 70 / 8000 -5,00M
	1500601801	ROLLER TUBE 70 / 8000 -5,50M
	1500601802	ROLLER TUBE 70 / 8000 -6,00M
	2	1500601825
1500601826		FABRIC 8000 3,50M 04
1500601830		FABRIC 8000 3,50M 22
1500601832		FABRIC 8000 3,50M 31
1500601833		FABRIC 8000 3,50M 32
1500600077		FABRIC 4.00M 8000 03
1500600078		FABRIC 4.00M 8000 04
1500600082		FABRIC 4.00M 8000 22 RAL 9002
1500601701		FABRIC 4.00M 8000 31
1500601702		FABRIC 4.00M 8000 32
1500600084		FABRIC 4.50M 8000 03
1500600085		FABRIC 4.50M 8000 04
1500600089		FABRIC 4.50M 8000 22 RAL 9002
1500601703		FABRIC 4.50M 8000 31



	ART.NR.	DESCRIPTION
	1500601704	FABRIC 4.50M 8000 32
	1500600092	FABRIC 5.00M 8000 03
	1500600093	FABRIC 5.00M 8000 04
	1500600097	FABRIC 5.00M 8000 22 RAL 9002
	1500601705	FABRIC 5.00M 8000 31
	1500601706	FABRIC 5.00M 8000 32
	1500600099	FABRIC 5.50M 8000 03
	1500600100	FABRIC 5.50M 8000 04
	1500600104	FABRIC 5.50M 8000 22 RAL 9002
	1500601707	FABRIC 5.50M 8000 31
	1500601708	FABRIC 5.50M 8000 32
	1500600106	FABRIC 6.00M 8000 03
	1500600107	FABRIC 6.00M 8000 04
	1500600111	FABRIC 6.00M 8000 22 RAL 9002
	1500601686	FABRIC 6.00M 8000 31
	1500601709	FABRIC 6.00M 8000 32
3	1500600296	CONNECT. SUPP. ARM
4	1500600325	LEAD RAIL HOLD DOWN 8000
5	1500600326	GLIDING ANGLE LEAD RAIL 8000
6	1500600863	RELAIS + FEET MOTOR 8000 220V
7	1500600865	RH MAIN HOUS.END PL. ASSY 8000
	1500600867	RH ENDPLATE 8000 220V
8	1500601834	L.H. END PLATE ASSY 8000-220V
9	1500601259	LH+RH CONN.LEAD RAIL
10	1500600871	L.H. END PLATE ASSY 8000
11	1500602049	BACK HOUSING 8000 - 3,50M
	1500600890	BACK HOUSING 8000 - 4.00 M
	1500600891	BACK HOUSING 8000 - 4.50M
	1500600892	BACK HOUSING 8000 - 5.00M
	1500600893	BACK HOUSING 8000 - 5.50M
	1500600894	BACK HOUSING 8000 - 6.00M
	1500602050	BACK HOUSING 8000 ANO - 3,50M
	1500600910	BACK HOUSING 8000 ANO - 4.00M
	1500600911	BACK HOUSING 8000 ANO - 4.50M
	1500600912	BACK HOUSING 8000 ANO - 5.00M
	1500600913	BACK HOUSING 8000 ANO 5.50M
	1500600914	BACK HOUSING 8000 ANO - 6.00M
	1500602289	BACK HOUSING 8000 - 4.00 M RAL9002
	1500602290	BACK HOUSING 8000 - 4.50 M RAL9002
	1500602291	BACK HOUSING 8000 - 5.00 M RAL9002
	1500602292	BACK HOUSING 8000 - 5.50 M RAL9002
	1500602293	BACK HOUSING 8000 - 6.00 M RAL9002
12	1500602051	MAINHOUSING BOTTOM 8000 - 3,50M
	1500600895	MAINHOUSING BOTTOM 8000 - 4.00M
	1500600896	MAINHOUSING BOTTOM 8000 - 4.50M
	1500600897	MAINHOUSING BOTTOM 8000 - 5.00M



	ART.NR.	DESCRIPTION
	1500600898	MAINHOUSING BOTTOM 8000 - 5.50M
	1500600899	MAINHOUSING BOTTOM 8000 - 6.00M
	1500602052	MAINHOUSING BOTTOM 8000 ANO - 3,50M
	1500600915	MAINHOUSING BOTTOM 8000 ANO - 4.00M
	1500600916	MAINHOUSING BOTTOM 8000 ANO - 4.50M
	1500600917	MAINHOUSING BOTTOM 8000 ANO - 5.00M
	1500600918	MAINHOUSING BOTTOM 8000 ANO - 5.50M
	1500600919	MAINHOUSING BOTTOM 8000 ANO - 6.00M
	1500602294	MAINHOUSING BOTTOM 8000 RAL9002 - 4.00M
	1500602295	MAINHOUSING BOTTOM 8000 RAL9002 - 4.50M
	1500602296	MAINHOUSING BOTTOM 8000 RAL9002 - 5.00M
	1500602297	MAINHOUSING BOTTOM 8000 RAL9002 - 5.50M
	1500602298	MAINHOUSING BOTTOM 8000 RAL9002 - 6.00M
13	1500602053	ROOFHOUSING 8000 - 3,50M
	1500600900	ROOFHOUSING 8000 - 4.00M
	1500600901	ROOFHOUSING 8000 - 4.50M
	1500600902	ROOFHOUSING 8000 - 5.00M
	1500600903	ROOFHOUSING 8000 - 5.50M
	1500600904	ROOFHOUSING 8000 - 6.00M
	1500602054	ROOFHOUSING 8000 ANO - 3,50M
	1500600920	ROOFHOUSING 8000 ANO - 4.00M
	1500600921	ROOFHOUSING 8000 ANO - 4.50M
	1500600922	ROOFHOUSING 8000 ANO - 5.00M
	1500600923	ROOFHOUSING 8000 ANO - 5.50M
	1500600924	ROOFHOUSING 8000 ANO - 6.00M
	1500602299	ROOFHOUSING 8000 RAL9002 - 4.00M
	1500602300	ROOFHOUSING 8000 RAL9002 - 4.50M
	1500602301	ROOFHOUSING 8000 RAL9002 - 5.00M
	1500602302	ROOFHOUSING 8000 RAL9002 - 5.50M
	1500602303	ROOFHOUSING 8000 RAL9002 - 6.00M
14	1500602055	LEADRAIL 8000 - 3,50M
	1500600905	LEADRAIL 8000 - 4.00M
	1500600906	LEADRAIL 8000 - 4.50M
	1500600907	LEADRAIL 8000 - 5.00M
	1500600908	LEADRAIL 8000 - 5.50M
	1500600909	LEADRAIL 8000 - 6.00M
	1500602056	LEADRAIL 8000 ANO - 3,50M
	1500600925	LEADRAIL 8000 ANO - 4.00M
	1500600926	LEADRAIL 8000 ANO - 4.50M
	1500600927	LEADRAIL 8000 ANO - 5.00M
	1500600928	LEADRAIL 8000 ANO - 5.50M
	1500600929	LEADRAIL 8000 ANO - 6.00M
	1500602304	LEAD RAIL 8000 - 4,00M RAL9002
	1500602305	LEAD RAIL 8000 - 4,50M RAL9002
	1500602306	LEAD RAIL 8000 - 5,00M RAL9002
	1500602283	LEAD RAIL 8000 - 5,50M RAL9002



	ART.NR.	DESCRIPTION
	1500602308	LEAD RAIL 8000 - 6,00M RAL9002
15	1500601129	REMOTE CONTROL 8000 220V
16	1500601207	HAND CRANK ASSY SHORT
17	1500601210	GEAR ASSY+COUPLING FUNNEL 8000
18	1500601249	LH ENDCAP MAINHOUSING 8000
	1500601250	LH ENDCAP MAINHOUSING 8000 ANO
	1500602286	LH ENDCAP MAINHOUSING 8000 RAL9002
19	1500601251	RH ENDCAP MAINHOUSING 8000
	1500601252	RH ENDCAP MAINHOUSING 8000 ANO
	1500602287	RH ENDCAP MAINHOUSING 8000 RAL9002
20	1500601254	LH+RH LEAD RAIL END PLATE 8000
	1500601255	LH+RH LEAD RAIL ENDPL.8000 ANO
	1500602288	LH+RH LEAD RAIL ENDPL.8000 RAL9002
21	1500601256	LH+RH SIDE CAP MH BOTTOM 8000
	1500601257	LH+RH SIDECAP MH BOTT.8000 ANO
22	1500601258	LH+RH ROLLER TUBE ASSY 8000
23	1500601260	LH ENDCAP MH 8000 220V
	1500601261	LH ENDCAP MH 8000 220V ANO
24	1500602059	L.H. SPRING ARM COMPL. 8000 ≥4,00M
	1500602057	L.H. SPRING ARM 8000 - 3,50M
25	1500601298	LH & RH GLIDING PIECES TENSION ARMS
26	1500602060	R.H.SPR.ARM COMPL. 8000 ≥4,00M
	1500602058	RH. SPRING ARM 8000 - 3,50M
27	1500601612	SUPPORT ARM V2 3.50M
	1500601312	SUPPORT ARM V2 LARGE
28	1500602342	ANTI RATTLING SUPPORT ARM
29	1500601789	CENTRAL CLAMP SUPPORT ARM V2
30	307924	220V MOTOR 8000 WHITE
	307925	220V MOTOR 8000 ANO
31	1500602404	CONNECTION PCS TENSION RAFTER 8000
32	1500602375	EMERGENCY HAND CRANK 8000
33	1500602391	LH END PLATE HOUSING 8000 12V
34	1500602327	SPRING ARM PROTECTION KIT 8000

